

REMARKS

Figure 2 has been amended to correct certain informalities with respect to the depicted plot. Specifically, Figure 2 has been amended to include the electrical resistivity values along the y-axis. Applicant respectfully submits that the present amendment corrects certain informalities with respect to the plot depicted in Figure 2 and does not add new matter to the application. Support for these values may be found in the specification at page 3, line 20 - page 4, line 4 where it discusses electrical resistivity values as a function of temperature for Figure 2.. Accordingly, Applicant respectfully requests entry of the present amendment to Figure 2.

Applicant believes that no extension of time is required at this time. If further extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned for under 37 C.F.R. § 1.136(a). Fees required for extensions of time are hereby authorized to be charged to Deposit Account No. 503310.

Should the Examiner feel that there are any issues outstanding after consideration of this response; the Examiner is invited to contact the Applicant's undersigned representative at the number below to expedite prosecution. Prompt and favorable consideration is respectfully requested.

Respectfully submitted,



Philip D. Lane
Reg. No. 41,140

Date: May 23, 2006

Philip D. Lane
P.O. Box 79318
Charlotte, NC 28271-7063
Tel: 704-301-5007
Fax: 704-843-2318